

DNS as a Control Point for Cyber Risk

Dr. Paul Vixie, CEO
Farsight Security

Topics

- DNS Purpose and Role
- DNS Actions and Reactions
- DNS Control Points

Topic

DNS purpose and role

Internet as Territory

- But what **is** the internet?
 - “It's the largest equivalence class in the reflexive transitive symmetric closure of the relationship *can be reached by an IP packet from.*”
 - (Seth Breidbart)
- IP addresses, IP packets, underlie everything
- We overlay IP with many things, e.g., *the web*
- Most important overlay (a layer) is: DNS

DNS as Map

- Most everything we do on the Internet...
 - B2C Web, B2B Web, E-mail, I-M, <*your idea here*>
 - ...relies on TCP/IP, and begins with a DNS lookup
- Mobile Internet is dominated by search...
 - ...but search itself relies extensively upon DNS
- DNS has a rigorous internal structure
 - Things that are in fact related, are related in DNS
 - You can have *whois* privacy, but not DNS privacy

Criminal DNS

- The Internet has been a great accelerator of human civilization
 - Sadly, the criminals came along for the ride
- Criminals can't do Internet crime without DNS
 - Cheap throw-away domain names
 - DNS registrars and servers in bad neighborhoods
 - *Whois* privacy or simply bad *whois* data
- *Nature, to be commanded, must be obeyed.*
 - (Francis Bacon)

So, About that Internal Structure

- Domain names are grouped into *zones*
- A *zone* has one or more *name servers*
- Each *name server* has one or more *addresses*
- Other domain names also have *addresses*
- IP *addresses* are grouped into *netblocks*
- Domain names appear in a lot of places:
 - Web – <http://domain/>
 - E-mail – somebody@domain

Traditional DNS Forensics

- DNS lets anybody look up a *<domain,type>*
 - You get back the current set of *resource records*
 - But there's no way to see the history
 - And, your query exposes your interest
- *Whois* lets you check ownership of a domain
 - But it's usually hidden/private or inaccurate

Topic

DNS Actions and Reactions

“...too cheap to meter”

- SpamAssassin as a teaching tool
 - Dotted quads as spamsign
- RRP and EPP: solving “the .COM problem”
 - Running a race to the bottom
- Fluidity having only one purpose
 - 30 seconds? Really?
- Fitting Sturgeon’s revelation
 - “90% of <thing> is crap”

Takedown: Far End Tactics

- Since we can't prevent it...
 - ...we'll have to evolve coping strategies
- Takedown as a Service (TaaS?)
 - Yes, you can outsource this now
- A new profit center!
 - Kill all you want, we'll make more
- Whack-a-mole as a Service (WaaS?)
 - Incrementalism breeds better criminals

Firewalls: Near End Tactics

- If we can't prevent it and takedown is hard...
 - ...our coping strategy is, fight on the threshold
- You can filter IP+port, URL, and now even DNS
 - But you can't keep up with the churn
 - So, another outsourceable profit center!
- And you can't afford manual configuration
 - So, firewall config now follows a pub-sub model
 - This predates Puppet et al by a decade or more

DNS Control Points

Attribution

Owner Lookup, Show History

```
$ dnsdb_query -r vix.com/ns/vix.com
...
;; record times: 2010-07-04 16:14:12 .. 2013-05-12 00:55:59
;; count: 2221563; bailiwick: vix.com.
vix.com. NS ns.sql1.vix.com.
vix.com. NS ns1.isc-sns.net.
vix.com. NS ns2.isc-sns.com.
vix.com. NS ns3.isc-sns.info.

;; record times: 2013-10-18 06:30:10 .. 2014-02-28 18:13:10
;; count: 330; bailiwick: vix.com.
vix.com. NS buy.internettraffic.com.
vix.com. NS sell.internettraffic.com.
```

Owner Wildcards, Left Hand

```
$ dnsdb_query -r \*.vix.com/a | fgrep 24.104.150
internal.cat.lah1.vix.com.  A  24.104.150.1
ss.vix.com.                 A  24.104.150.2
gutentag.vix.com.          A  24.104.150.3
lah1z.vix.com.             A  24.104.150.4
mm.vix.com.                A  24.104.150.11
ww.vix.com.                A  24.104.150.12
external.cat.lah1.vix.com. A  24.104.150.33
wireless.cat.lah1.vix.com. A  24.104.150.65
wireless.ss.vix.com.       A  24.104.150.66
ap-kit.lah1.vix.com.       A  24.104.150.67
cat.lah1.vix.com.          A  24.104.150.225
vix.com.                   A  24.104.150.231
deadrat.lah1.vix.com.      A  24.104.150.232
ns-maps.vix.com.           A  24.104.150.232
ns.lah1.vix.com.           A  24.104.150.234
```

Owner Wildcards, Right Hand

```
$ dnsdb_query -r vixie.\*/ns
;; zone times: 2010-08-13 16:10:10 .. 2012-12-31 17:24:50
;; count: 872; bailiwick: com.
vixie.com. NS ns2317.hostgator.com.
vixie.com. NS ns2318.hostgator.com.

;; zone times: 2010-04-24 16:12:21 .. 2010-08-12 16:09:01
;; count: 111; bailiwick: com.
vixie.com. NS ns23.domaincontrol.com.
vixie.com. NS ns24.domaincontrol.com.

;; zone times: 2010-10-20 20:52:43 .. 2012-03-31 20:54:04
;; count: 0; bailiwick: info.
vixie.info. NS ns31.domaincontrol.com.
vixie.info. NS ns32.domaincontrol.com.
^C
```


Data Lookup, By Name

```
$ ./dnsdb_query -n ss.vix.su/mx
vix.su.           MX  10  ss.vix.su.
dns-ok.us.       MX   0  ss.vix.su.
mibh.com.        MX   0  ss.vix.su.
iengines.com.    MX   0  ss.vix.su.
toomanydatsuns.com. MX  0  ss.vix.su.
farsightsecurity.com. MX 10  ss.vix.su.
anog.net.        MX   0  ss.vix.su.
mibh.net.        MX   0  ss.vix.su.
tisf.net.        MX 10  ss.vix.su.
iengines.net.    MX   0  ss.vix.su.
al.org.          MX   0  ss.vix.su.
vixie.org.       MX   0  ss.vix.su.
redbarn.org.     MX   0  ss.vix.su.
benedelman.org. MX   0  ss.vix.su.
```

Data Lookup, by IP Address

```
$ dnsdb_query -r ic.fbi.gov/mx  
ic.fbi.gov.  MX  10 mail.ic.fbi.gov.
```

```
$ dnsdb_query -r mail.ic.fbi.gov/a  
mail.ic.fbi.gov.  A  153.31.119.142
```

```
$ dnsdb_query -i 153.31.119.142  
ic.fbi.gov.          A  153.31.119.142  
mail.ic.fbi.gov.     A  153.31.119.142  
mail.ncijtf.fbi.gov. A  153.31.119.142
```

Data Lookup, by IP Address Block

```
$ dnsdb_query -i 153.31.119.0/24 | grep -v infragard
vpn.dev2.leo.gov.          A 153.31.119.70
mail.leo.gov.             A 153.31.119.132
www.biometriccoe.gov.    A 153.31.119.135
www.leo.gov.             A 153.31.119.136
cgate.leo.gov.          A 153.31.119.136
www.infraguard.net.      A 153.31.119.138
infraguard.org.         A 153.31.119.138
www.infraguard.org.     A 153.31.119.138
mx.leo.gov.             A 153.31.119.140
ic.fbi.gov.             A 153.31.119.142
mail.ic.fbi.gov.        A 153.31.119.142
mail.ncijtf.fbi.gov.    A 153.31.119.142
```

Technical Formatting Notes

- These slides show a DNS output conversion
 - The real output is in JSON format, i.e.:

```
$ dnsdb_query -r f.root-servers.net/a/root-servers.net
;; record times: 2010-06-24 03:10:38 .. 2014-03-05 01:22:56
;; count: 715301521; bailiwick: root-servers.net.
f.root-servers.net.  A  192.5.5.241
```

```
$ dnsdb_query -r f.root-servers.net/a/root-servers.net -j
{"count": 715301521, "time_first": 1277349038, "rrtype": "A",
"rrname": "f.root-servers.net.", "bailiwick": "root-
servers.net.", "rdata": ["192.5.5.241"], "time_last": 1393982576}
```


DNS Control Points

DDoS Resistance
with DNS-RRL


DNS Response Rate Limiting (RRL)

- If you run a DNS content (“authority”) server, it has to be massively overprovisioned
- Because OPN’s don’t have SAV, your server is a purpose-built DNS DDoS reflecting amplifier
- BIND and NSD now support DNS RRL, which accurately guesses what’s safe to drop
- Your authority servers need this, whereas your recursive servers need to be firewalled off

Spoofed Source Attacks



RRL In Action: Afilias



DNS Control Points

DNS Firewalls
with DNS-RPZ

Response Policy Zones: High Level

- Uses DNS zones to carry DNS Firewall policy
 - R-P-Z = Response Policy Zones
- Pub-sub is handled by NOTIFY/TSIG/IXFR
 - Many publishers, many subscribers, one format
- Pay other publishers, or create your own
 - Or do both, plus a private white-list
- Simple failure or walled garden, as you choose
 - We call this “taking back the streets” (“the DNS”)

RPZ Capabilities

- Triggers (RR owners):
 - If the query name is \$X
 - If the response contains an address in CIDR \$X
 - If any name server name is \$X
 - If any name server address is in CIDR \$X
 - If the query source address is in CIDR \$X
- Actions (RR data):
 - Synthesize NXDOMAIN
 - Synthesize CNAME
 - Synthesize NODATA
 - Synthesize an answer
 - Answer with the truth

Why Use RPZ?

- Easy stuff:
 - Block access to DGA C&C's
 - Block access to known phish/driveby
 - Block e-mail if envelope/header is spammy
- More interesting stuff:
 - Block DNS A/AAAA records in bad address space
 - E.g., import Cymru Bogons or Spamhaus DROP list
 - Block DNS records in your own address space
 - After allowing your own domains to do so, of course

Implications of RPZ

- Controlled Balkanization
- Open market for producers and consumers
- Differentiated service at a global scale
- Instantaneous takedown

RPZ Deployment Status

- The RPZ standard is open and unencumbered
- So far implemented only in BIND
- Performance is pretty reasonable
- New features will be backward compatible
- This is not an IETF standard

DNS Control Points

Newly Observed Domains (NOD)

An RPZ and RHSBL Feed

Newly Observed Domains

- 60% of the spam we studied used a header or envelope domain name less than 24 hours old
- Most new domains are rapidly taken down
- Casa Vixie uses a 10 minute NXDOMAIN rule
- FSI NOD (5m, 10m, 30m, 1h, 3h, 6h, 12h, 24h)
 - Streams: newly active vs. newly observed
 - Feeds: RPZ (for DNS Firewalls) vs. RHSBL (for Spam Assassin)

Newly Observed Domains & SRA

```
vixie@linux1:~$ sh -x go-sra
+ exec sratool connect ssh sra-dev-ssh@mc2.iad1.fsi.io
* HELLO srad version 0.1.0~a12+1407901 SRA protocol 1
> channel 212 on
* OK CHANNEL ON/OFF channel ch212 on
> count 3
> 10 watch ch=212
10 OK WATCH started
10 ch212 SIE newdomain
  rdata=CNAME webredir.vip.gandi.net rname=news.aldatub.io
10 ch212 SIE newdomain
  rdata=NS ns1.hostedtube.com rname=pornmovieonlinefree.xxx
10 ch212 SIE newdomain
  rdata=NS ns1.zippro2.com rname=yulinovasoft.ru
packet count limit exceeded
> ^D
```

Newly Observed Domains & DNS

```
vixie@linux1:~$ whois -h whois.nic.xxx pornmovieonlinefree.xxx
Domain Name:PORNMOVIEONLINEFREE.XXX
Domain ID: D2148460-XXX
Creation Date: 18-Mar-2014 23:30:58 UTC
Updated Date: 19-Mar-2014 04:41:19 UTC
...
```

```
vixie@linux1:~$ dig +short txt news.aldatub.io.v1.bl.dns-nod.net
"first_seen=1395334293"
```

```
vixie@linux1:~$ dig +short a news.aldatub.io.v1.bl.dns-nod.net
127.0.0.3
```

Limited Bibliography

<https://www.farsightsecurity.com/>

<http://www.redbarn.org/dns/ratelimits>

<http://dnssrpz.info/>